

Linear Straight Graphic Panel Kit A

Anodised aluminium construction, with simple self assembly. Ideal for shopping centre, conference and airports.



features & benefits

- Portable and easy to assemble
- Anodised aluminium construction
- 75mm round modular post system as standard
- Available in 5 different sizes 1000mm(h) x 2000mm(w), 2000mm(h) x 500mm(w), 1000mm(w), 2000mm(w) and 3000mm(w)
- Steel oval bases supplied as standard

Recommended accessories:



Linear standard shelf - **LN130**



LED Flood light **PS1050**
Requires **US-LINEAR**



Acrylic stacks **LN602-LCA**



Wheeled Budget linear case - **AC504**



hardware specifications

Hardware dimensions (mm):

LK020-A - 1000(h) x 2250(w) x 400(d)

LK020-B - 2000(h) x 750(w) x 400(d)

LK020-C - 2000(h) x 1250(w) x 400(d)

LK020-D - 2000(h) x 2250(w) x 400(d)

LK020-E - 2000(h) x 3250(w) x 400(d)

Assembly Instructions


Linear Straight Graphic Panel Kit A includes:



Steel oval base & M10 bolt x 2
(weight 4kg approx)




Male post x 2
(weight 2.5kg approx)




Linear PVC wing extrusion x 4



Allen Key



Female post x 2
(weight 2.5kg approx)




500mm wide 45mm rail x 2
(weight 1kg approx)



PVC clear washer x 2

Please note that the above kit is based on a LK020-B




Attach horizontal beams to the vertical frame sides. Tighten locks using a 5mm allen key. If using rigid infill graphics, slide these in to position before tightening beams.



To attach the PVC wing simply click the PVC wing into the channel on the linear until fully secure

Important: Once frame is complete apply steel tape around the frame and PVC extrusion



Align and slide female post over male post, tighten both grub screws using a 2mm allen key. Repeat step for 2nd post.



Attach base to male post using M10 bolt and allen key. Ensure clear washer is between base & post. Repeat step for 2nd post.



To attach the graphic simply apply mag tape to the graphic and align the graphic with the frame

Graphic Specification

LK020-A

Recommended mag tape graphic size (mm):
requires 2 drops at 1000mm (h) x 1000mm (w)
Recommended graphic substrate:
Mag tape fixing:
300micron polyester

Recommended infill graphic size (mm):
2 at 932 (h) x 989 (w) Actual
920 (h) x 977(w) Visible
1 Panel
1 at 932 (h) x 2012 (w) Actual
920(h) x 2000 (w) Visible
Recommended graphic substrate:
5mm thick foam board

Recommended Looped graphic size (mm):
2 at 1000 (h) x 977 (w) approx including a
160mm double hemmed loop at top and
bottom of graphic.
1 Graphic
1 at 1000 (h) x 2000 (w) approx including a
160mm double hemmed loop at top and
bottom of graphic
Recommended graphic substrate:
105 to 205gsm Lightweight
fabric

LK020-B

Recommended mag tape graphic size (mm):
Requires 1 drops at 2000mm (h) x 500mm (w)
Recommended graphic substrate:
Mag tape fixing:
300micron polyester

Recommended infill graphic size (mm):
1 at 1932 (h) x 512 (w) Actual
1920 (h) x 512(w) Visible

Recommended graphic substrate:
5mm thick foam board

Recommended looped graphic size (mm):
2000 (h) x 500 (w) approx including a
160mm double hemmed loop at top and
bottom of graphic
Recommended graphic substrate:
105 to 205gsm Lightweight
fabric

LK020-C

Recommended mag tape graphic size (mm):
requires 1 drops at 2000mm (h) x 1000mm (w)
Recommended graphic substrate:
Mag tape fixing:
300micron polyester

Recommended infill graphic size (mm):
2 at 949 (h) x 1012 (w) Actual
937 (h) x 1000(w) Visible
1 panel
1 at 1932 (h) x 1012 (w) Actual
1920 (h) x 1000 (w) Visible

Recommended graphic substrate:
5mm thick foam board

Recommended looped graphic size (mm):
2000 (h) x1000 (w) approx including a
160mm double hemmed loop at top and
bottom of graphic
Recommended graphic substrate:
105 to 205gsm Lightweight
fabric

LK020-D

Recommended mag tape graphic size (mm):
requires 2 drops at 2000mm (h) x 1000mm (w)
Recommended graphic substrate:
Mag tape fixing:
300micron polyester

Recommended infill graphic size (mm):
4 at 949 (h) x 989 (w) Actual
937 (h) x 977(w) Visible

Recommended graphic substrate:
5mm thick foam board

Recommended looped graphic size (mm):
2000 (h) x2000(w) approx including a
160mm double hemmed loop at top and
bottom of graphic
Recommended graphic substrate:
105 to 205gsm Lightweight
fabric

LK020-E

Recommended mag tape graphic size (mm):
requires 3 drops at 2000mm (h) x 1000mm (w)
Recommended graphic substrate:
Mag tape fixing:
300micron polyester

Recommended infill graphic size (mm):
4 at 949 (h) x 989 (w) Actual
937 (h) x 977 (w) Visible
2 at 949 (h) x 967 (w) Actual
937 (h) x 955 (w) Visible

Recommended graphic substrate:
5mm thick foam board